



Bijlage bij accreditatie-certificaat
Annexe au certificat d'accréditation
Annex to the accreditation certificate
Beilage zur Akkreditierungszertifikat

531-RM

ISO GUIDE 34:2009

Versie/Version/Fassung	1
Uitgiftedatum / Date d'émission / Issue date / Ausgabedatum:	2017-05-11
Geldigheidsdatum / Date limite de validité / Validity date / Gültigkeitsdatum:	2018-03-05

Nicole Meurée-Vanlaethem

Voorzitster van het Accreditatiebureau
La Présidente du Bureau d'Accréditation
Chair of the Accreditation Board
Vorsitzende des Akkreditierungsbüro

**De accreditatie werd uitgereikt aan/ L'accréditation est délivrée à/
The accreditation is granted to/ Die akkreditierung wurde erteilt für:**

**Chem-Lab nv
Industriezone "De Arend", 2
8210 ZEDELGEM**

Secrétariat:

**Service public fédéral, Economie,
P.M.E., Classes moyennes et Energie**

Direction générale de la Qualité et de la Sécurité
Division Qualité et Innovation
Bd du Roi Albert II, 16 - 5^{ème} étage - B-1000 Bruxelles
Website: <http://economie.fgov.be>
Numéro d'entreprise: 0314.595.348

Accréditation BELAC Accreditation

Tél: +32 2 277 54 34
Fax: +32 2 277 54 41

Internet: <http://belac.fgov.be>
E-Mail: Belac@economie.fgov.be

Secretariaat:

**Federale Overheidsdienst, Economie,
K.M.O., Middenstand en Energie**

Algemene Directie Kwaliteit en Veiligheid
Afdeling Kwaliteit en Innovatie
Koning Albert II-laan 16 - 5^{de} verd. - B-1000 Brussel
Website: <http://economie.fgov.be>
Ondernemingsnummer: 0314.595.348

.be

Matrix/Artefact	Property Value(s)/Identity/Characterisation Range	Characterisation Procedure/Technique/ CMC (expressed as relative expanded uncertainty)
aqueous solutions	Mass fraction Mono-elements Cations: Ag, Al, As, Au, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Dy, Er, Eu, Fe, Ga, Gd, Ge, Hf, Hg, Ho, In, Ir, K, La, Li, Lu, Mg, Mn, Mo, Na, Nb, Nd, Ni, Os, P, Pb, Pd, Pr, Pt, Rb, Re, Rh, Ru, S, Sb, Sc, Se, Si, Sm, Sn, Sr, Ta, Tb, Te, Th, Ti, Tl, Tm, U, V, W, Y, Yb, Zn, Zr (900 to 11.000 µg/g)	Characterisation and verification BM006 (ICP-OES) (0,3 to 1,3 %)